


THERMACUT® REPLACEMENT PARTS SUITABLE FOR
Thermal Dynamics®, ESAB®, VICTOR®
CUTMASTER® SERIES
1Torch™ SL60, SL100



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-13382	9-8238	Shield Cup 50-60A, Machine	1		T-13375	9-8208	Tip 40A, Cutting	5
	T-13383	9-8239	Shield Cup 70-100A, Machine	1		T-13376	9-8209	Tip 50-55A, Cutting	5
2.	T-13384	9-8243	Shield Cup, Machine, Deflector	1		T-13377	9-8210	Tip 60A, Cutting	5
3.	T-13386	9-8256	Shield 120A, Machine	1		T-13378	9-8211	Tip 80A, Cutting	5
4.	T-13393	9-8235	Shield Cup 50-60A, Drag	1		T-13379	9-8212	Tip 90-100A, Cutting	5
	T-13394	9-8236	Shield Cup 70-100A, Drag	1		T-13380	9-8231	Tip 70A, Cutting	5
	T-13411	9-8258	Shield Cup 120A, Drag	1		T-13381	9-8233	Tip 120A, HiAmp	5
5.	T-13461	9-8237	Shield Cup Body	1		T-13385	9-8253	Tip 120A	5
6.	T-13460	9-8218	Shield Cup	1	8.	T-13392	9-8213	Start Cartridge	1
7.	T-13372	9-8205	Tip 20A, Drag	5	(i) 9.	T-13387 (i)	9-8215	Electrode	5
	T-13373	9-8206	Tip 30A, Drag	5					
	T-13374	9-8207	Tip 40A, Drag	5					

(i) THIS PARTS MAY NOT BE DISTRIBUTED ON THE US MARKET. THERMACUT ACCEPTS NO RESPONSIBILITY IN CASE OF INDIRECT SALES TO USA.

Last update of this page: 04/04/2025. See Revision history for details.

THERMACUT®
 THE CUTTING COMPANY®

WWW.THERMACUT.COM
 TEL.: +420 556 423 440
 SALES@THERMACUT.CZ

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT® IS NO WAY AFFILIATED WITH Hypertherm®, Thermal Dynamics®, ESAB®, VICTOR®. MOST THERMACUT® PARTS ARE MADE FOR OR BY AN ABICOR GROUP. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT®. THERMACUT® RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT® PARTS. VALID FROM APRIL 2026 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2026 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.

THERMACUT® REPLACEMENT TORCHES SUITABLE FOR
Thermal Dynamics®, ESAB®, VICTOR®
CUTMASTER® SERIES
APPLICATION OF FHT-EX®105RTX TORCH TO CUTMASTER®

RECOMMENDED USE FOR 50A AND MORE



Last update of this page: 20/11/2025. See Revision history for details.

THERMACUT®
 THE CUTTING COMPANY®

WWW.THERMACUT.COM
 TEL.: +420 556 423 440
 SALES@THERMACUT.CZ

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFLEAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT® IS NO WAY AFFILIATED WITH Hypertherm®, Thermal Dynamics®, ESAB®, VICTOR®. MOST THERMACUT® PARTS ARE MADE FOR OR BY AN ABICOR GROUP. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT®. THERMACUT® RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT® PARTS. VALID FROM APRIL 2026 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2026 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.

THERMACUT® REPLACEMENT TORCHES SUITABLE FOR Thermal Dynamics®, ESAB®, VICTOR® CUTMASTER® SERIES APPLICATION OF FHT-EX®105RTX TORCH TO CUTMASTER®

Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-13344	EX-5-140-011	FHT-EX®105RTX Hand Torch with Leads 6.1m (20') for 1Torch®	1
	T-13345	EX-5-140-012	FHT-EX®105RTX Hand Torch with Leads 15.2m (50') for 1Torch®	1
!!!	T-13346	T-13346	FHT-EX®105RTX Hand Torch with Leads 0.8m, solution for 1Torch®, sample piece – exhibition only	1
2.	T-13472	EX-5-240-013	FHT-EX®105RTX Machine Torch with Leads 7.6m (25') for 1Torch®	1
	T-13479	EX-5-240-014	FHT-EX®105RTX Machine Torch with Leads 15.2m (50') for 1Torch®	1

3. Torch, spare parts. See following pages for details.

DIFFERENT LENGTHS OF CABLE LEADS AVAILABLE ON REQUEST

* CONNECTOR IS FULLY COMPATIBLE AND FITS TO OEM POWER SUPPLY

!!! DEMO IS INOPERATIVE, FOR EXHIBITION PURPOSES ONLY!

Last update of this page: 20/11/2025. See Revision history for details.


THERMACUT®
THE CUTTING COMPANY®

WWW.THERMACUT.COM
TEL.: +420 556 423 440
SALES@THERMACUT.CZ

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT® IS NO WAY AFFILIATED WITH Hypertherm®, Thermal Dynamics®, ESAB®, VICTOR®. MOST THERMACUT® PARTS ARE MADE FOR OR BY AN ABICOR GROUP. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT®. THERMACUT® RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT® PARTS. VALID FROM APRIL 2026 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2026 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.

THERMACUT® REPLACEMENT PARTS SUITABLE FOR
Thermal Dynamics®, ESAB®, VICTOR®
CUTMASTER® SERIES
APPLICATION OF FHT-EX® 105RTX TORCH TO CUTMASTER®

45/65/85A application



Last update of this page: 04/04/2025. See Revision history for details.

THERMACUT®
 THE CUTTING COMPANY®

WWW.THERMACUT.COM
 TEL.: +420 556 423 440
 SALES@THERMACUT.CZ

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT® IS IN NO WAY AFFILIATED WITH Hypertherm®, Thermal Dynamics®, ESAB®, VICTOR®. MOST THERMACUT® PARTS ARE MADE FOR OR BY AN ABICOR GROUP. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT®. THERMACUT® RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT® PARTS. VALID FROM APRIL 2026 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2026 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.

THERMACUT® REPLACEMENT PARTS SUITABLE FOR
Thermal Dynamics®, ESAB®, VICTOR®
CUTMASTER® SERIES
APPLICATION OF FHT-EX® 105RTX TORCH TO CUTMASTER®

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
a 1.	EX-5-419-030	EX-5-419-030	Shield 45/65/85A, Hand	1	a 13.	EX-5-410-036	EX-5-410-036	Nozzle 45A	5
a 2.	EX-5-421-031	EX-5-421-031	Shield 45/65/85A, Machine	1	a 14.	EX-5-410-037	EX-5-410-037	Nozzle 65A	5
3.	EX-5-423-031	EX-5-423-031	Deflector 45/65/85/105A	1	a 15.	EX-5-410-038	EX-5-410-038	Nozzle 85A	5
a 4.	EX-5-440-030	EX-5-440-030	Shield 45-105A, Gouging	1	a 16.	EX-5-440-031	EX-5-440-031	Nozzle 65-85A, Gouging	5
a 5.	EX-5-420-030	EX-5-420-030	Shield 100-120A, Hand	1	a 17.	EX-5-440-032	EX-5-440-032	Nozzle 100-120A, Gouging	5
a 6.	EX-5-422-030	EX-5-422-030	Shield 100-120A, Machine	1	a 18.	EX-5-410-039	EX-5-410-039	Nozzle 100-120A	5
7.	EX-5-423-030	EX-5-423-030	Deflector 45A, FC	1	19.	EX-5-410-035	EX-5-410-035	Nozzle 45A, FC	5
8.	EX-5-421-030	EX-5-421-030	Shield 45A, Ohmic, FC	1	a 20.	EX-5-404-031	EX-5-404-031	Swirl Ring 10-85A	1
a 9.	EX-5-415-030	EX-5-415-030	Retaining Cap 45-85A	1	a 21.	EX-5-404-032	EX-5-404-032	Swirl Ring 100-120A	1
a 10.	EX-5-415-031	EX-5-415-031	Retaining Cap 45-85A, Ohmic	1	a 22.	EX-5-404-030	EX-5-404-030	Swirl Ring 45A, FC	1
a 11.	EX-5-415-032	EX-5-415-032	Retaining Cap 100-120A	1	a 23.	EX-5-402-030	EX-5-402-030	Electrode 45-120A (pkg. 5 pcs.)	1 × 5
a 12.	EX-5-415-033	EX-5-415-033	Retaining Cap 100-120A, Ohmic	1					

FOR 125A USE 105A CONSUMABLES SET

a REPLACEMENT PARTS DO NOT FIT THE OEM TORCH. THESE PARTS FIT THE THERMACUTS SOLUTION FOR DURAMAX®.

SMART SOLUTION – DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM.

Last update of this page: 04/04/2025. See Revision history for details.

THERMACUT®
THE CUTTING COMPANY®

WWW.THERMACUT.COM
TEL.: +420 556 423 440
SALES@THERMACUT.CZ

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT® IS NO WAY AFFILIATED WITH Hypertherm®, Thermal Dynamics®, ESAB®, VICTOR®. MOST THERMACUT® PARTS ARE MADE FOR OR BY AN ABICOR GROUP. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT®. THERMACUT® RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT® PARTS. VALID FROM APRIL 2026 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2026 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.

THERMACUT® REPLACEMENT PARTS SUITABLE FOR
Thermal Dynamics®, ESAB®, VICTOR®
CUTMASTER® SERIES
APPLICATION OF FHT-EX®105RTX TORCH TO CUTMASTER®



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
*1.	T-12233	228958	FHT-EX®105RTX Torch Body Kit	1	2b.	T-10607	T-10607	Micro Switch	1
1a.	N-18406	O-KR-17x1,5G	O-Ring	1	2c.	PT-12600	T-171	Torch Trigger	1
**2.	T-13098	T-13098	Handle Kit Full Set	1	2d.	PT-13261	PT-13261	Cap Sensor	1
***2a.	T-13229	T-13229	Handle Cover + Screws (5pcs)	1					

Last update of this page: 04/04/2025. See Revision history for details.

THERMACUT® REPLACEMENT PARTS SUITABLE FOR
Thermal Dynamics®
MERLIN™ 6000 & 6000GST
MAXIMIZER™ 300



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-2971	20-1003	Shield 50A	1		T-10264**	20-1018-UR	Electrode 50-225A, Air (300A, O ₂)	5
	T-2289	20-1004	Shield 100-225A	1		T-10265**	20-1010-UR	Electrode 100-225A, Air/O ₂	5
	T-2290	20-1005	Shield 300A	1	5.	T-2300	20-1023	Electrode 50-300A, N ₂	5
2.	T-2292	20-1002	Standard Shield Cup Body	1	6.	T-2301	20-0008	Gas Distributor 50-225A	2
3.	T-8981	20-1030	Tip 0.043\" 50A	5		T-2302	20-1009	Gas Distributor 300A	2
	T-2303	20-1031	Tip 0.055\" 100A	5	7.	T-11846	T-11846	Cooling Tube	1
	T-2304	20-1032	Tip 0.073\" 150A	5	8.	T-1693	9-6410	Torch Body	1
	T-2305	20-1033	Tip 0.083\" 225A	5	8a.	N-10088	1-023B	O-Ring	1
	T-2306	20-1034	Tip 0.109\" 300A	5	NS	T-0161	8-4204	Bushing	1
4.	T-10441	20-1021-UR	Electrode 300A, Air	5	NS	T-13186	2-6140	MAXIMIZER™ 300 Machine Torch with Leads 25' (7.6m)	1
	T-10293**	20-1015-UR	Electrode 50-100A, O ₂	10					
	T-10440**	20-1016-UR	Electrode 150A, O ₂	5					

****** A UNIQUE DESIGN WHICH ENHANCES PERFORMANCE AND DIFFERS FROM OEM DESIGNS

NS NOT SHOWN IN THE PICTURE

SMART SOLUTION - DESIGN IMPROVEMENTS THAT BRINGS ADDED VALUE SUCH AS IMPROVED LIFETIME OF CONSUMABLES, EXCELLENT CUT QUALITY, SPEED OR BETTER COST EFFECTIVENESS OF YOUR SYSTEM

Last update of this page: 15/01/2025. See Revision history for details.

THERMACUT®
 THE CUTTING COMPANY®


WWW.THERMACUT.COM
 TEL.: +420 556 423 440
 SALES@THERMACUT.CZ

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT® IS NO WAY AFFILIATED WITH Thermal Dynamics®. MOST THERMACUT® PARTS ARE MADE FOR OR BY AN ABICOR GROUP. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT®. THERMACUT® RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT® PARTS. VALID FROM APRIL 2026 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2026 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.

THERMACUT® REPLACEMENT PARTS SUITABLE FOR

Thermal Dynamics®

PWH/M 2A WELDING TORCH



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-1482	8-2071	Shield Cup	5	NS	KT-1061	2-2504	PWH 2A Hand Torch 70° with Leads 25' (7.6m)	1
2.	T-1483	8-2023	Tip .046 35A	10	NS	T-13414	2-2104	PWH 2A Hand Torch 70° with Leads 25' (7.6m), centr. conn.	1
	T-1485	8-2025	Tip .081 75A	10	NS	T-13478	2-2444	PWH 2A Hand Torch 90° with Leads 12.5' (3.8m)	1
	T-1486	8-2079	Tip Long .031	10	NS	T-13537	2-2101	PWH 2A Hand Torch 90° with Leads 12.5' (3.8m), centr. conn.	1
	T-1487	8-2080	Tip Long .046	10	NS	T-13549	2-3002	PWH 2A Hand Torch 180° with Leads 12.5' (3.8m)	1
	T-1488	8-2082	Tip Long .062	10	NS	T-13481	2-2594	PWH 2A Machine Torch with Leads 25' (7.6m)	1
	T-1489	8-2083	Tip Long .081	10	NS	T-0774	2-2840	Machine Torch with 12.5' Leads without Q. D.	1
3.	T-1490	8-2040	Gas Distributor	1	NS	T-13432	4-2539	PWH/M 2A Cable Leads 12.5' (3.8m) Hand/Mach.	1
4.	T-1491	8-2036	Gasket	5	NS	T-13444	4-2585	PWH/M 2A Cable Leads 25' (7.6m) Hand/Mach.	1
	T-1492	8-2027	Torch Head 70°	1	NS	T-13532	9-2105	Negative Lead 12.5' (3.8m), Green	1
NS	T-1037	8-2028	Torch Head 90°	1	NS	T-13494	8-1494	Negative Lead 25' (7.6m), Green	1
NS	T-1493	8-2097	Torch Head, Machine	1	NS	T-13533	9-2107	Positive Lead 12.5' (3.8m), Red	1
5.	T-1494	8-2035	O-Ring	5	NS	T-13529	8-1495	Positive Lead 25' (7.6m), Red	1
6.	T-1495	8-2039	Collet	5	NS	T-13466	8-1074	Plasma Hose 12.5' (3.8m)	1
	T-0766	8-2041	Collet .040	1	NS	T-13438	8-1496	Plasma Hose 25' (7.6m)	1
7.	T-1496	8-2033	Electrode	10	NS	T-13467	8-1075	Shield Hose 12.5' (3.8m)	1
8.	T-1497	8-2032	Back Cap	1	NS	T-13439	8-1497	Shield Hose 25' (7.6m)	1
	T-0765	8-2030	Back Cap, Extended	1	NS	T-13530	8-3138	Sleeving 12.5' (3.8m)	1
9.	T-0157	8-4018	Nut	1	NS	T-13531	8-3139	Sleeving 25' (7.6m)	1
10.	T-0159	8-5005	Mounting Tube	1					
11.	T-0161	8-4204	Bushing	1					
NS	KT-1358	2-2443	PWH 2A Hand Torch 70° with Leads 12.5' (3.8m)	1					

NS NOT SHOWN IN THE PICTURE
Q. D. QUICK DISCONNECT

Last update of this page: 26/02/2026. See Revision history for details.

THERMACUT®
 THE CUTTING COMPANY®

WWW.THERMACUT.COM
TEL.: +420 556 423 440
SALES@THERMACUT.CZ

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT® IS NO WAY AFFILIATED WITH Thermal Dynamics®. MOST THERMACUT® PARTS ARE MADE FOR OR BY AN ABICOR GROUP. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT®. THERMACUT® RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT® PARTS. VALID FROM APRIL 2026 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2026 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.

THERMACUT® REPLACEMENT PARTS SUITABLE FOR

Thermal Dynamics®

PWH/M 3A WELDING TORCH



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-1505	8-3040	Shield Cup	1	NS	T-0161	8-4204	End Cap	1
	T-1911	8-3038	Shield Cup Standard Weight	1	NS	T-0810	9-1810	Gage/Wrench	1
2.	T-1509	9-1783	Tip .046 50A, Standard	10	NS	T-13419	2-2527	PWH 3A Hand Torch 70° with Leads 12.5' (3.8m)	1
	T-1510	9-1784	Tip .062 75A, Standard	10	NS	T-13420	2-2599	PWH 3A Hand Torch 70° with Leads 25' (7.6m)	1
	T-1511	9-1785	Tip .081 100A, Standard	10	NS	T-13449	2-2529	PWH 3A Hand Torch 90° with Leads 12.5' (3.8m)	1
	T-1512	9-1795	Tip .093 150A, Standard	10	NS	T-13450	2-2623	PWH 3A Hand Torch 90° with Leads 25' (7.6m)	1
3.	T-1514	9-1789	Tip, Long .046 20A, Extended	10	NS	KT-1067	2-2616	PWH 3A Hand Torch 180° with Leads 12.5' (3.8m)	1
	T-1515	9-1790	Tip, Long .062 55A, Extended	10	NS	T-13415	2-2621	PWH 3A Hand Torch 180° with Leads 25' (7.6m)	1
	T-1516	9-1791	Tip, Long .081 75A, Extended	10	NS	T-13477	2-2112	PWH 3A Hand Torch 180° with Leads 12.5' (3.8m), centr. conn.	1
	T-1517	9-1811	Tip, Long .093 85A, Extended	10	NS	T-13437	2-2116	PWH 3A Hand Torch 180° with Leads 25' (7.6m), centr. conn.	1
4.	T-1518	9-2240	Gas Distributor Insulating Sleeve	5	NS	T-12313	2-2531	PWH 3A Machine Torch with Leads 12.5' (3.8m)	1
OD 5.	T-1503	9-1747	Electrode	1	NS	T-13428	2-2624	PWH 3A Machine Torch with Leads 25' (7.6m)	1
6.	T-1498	8-3059	Gas Diffuser	1	NS	KT-1069	4-2615	PWH/M 3A Cable Leads 12.5' (3.8m) Hand/Mach.	1
7.	T-1519	8-3057	Gasket - Shield Cup	5	NS	KT-1474	4-2624	PWH/M 3A Cable Leads 25' (7.6m) Hand/Mach.	1
8.	T-1500	8-3032	Torch Head Assembly (180° offset)	1	NS	T-13536	T-13536	PWH/M 3A Cable Leads 40' (12.2m) Hand/Mach.	1
	T-1499	8-3030	Torch Head 70°	1	NS	T-13468	8-3028	Negative Lead 12.5' (3.8m), Green	1
	T-1036	8-3031	Torch Head 90°	1	NS	T-13440	8-1499	Negative Lead 25' (7.6m), Green	1
OD 9.	T-1027	8-0527	O-Ring Electrode Cap	10	NS	T-13442	8-3029	Positive Lead 12.5' (3.8m), Red	1
10.	T-1502	9-1780	Collet	1	NS	T-13441	8-1500	Positive Lead 25' (7.6m), Red	1
11.	T-1504	9-1779	Electrode Cap, Standard	1	NS	T-13466	8-1074	Plasma Hose 12.5' (3.8m)	1
12.	T-0777	9-1803	Electrode Cap, Extended	1	NS	T-13438	8-1496	Plasma Hose 25' (7.6m)	1
NS		9-1757	PWH Handle	1	NS	T-13467	8-1075	Shield Hose 12.5' (3.8m)	1
NS	T-10766	9-1778 OEM	Sleeve	1	NS	T-13439	8-1497	Shield Hose 25' (7.6m)	1
NS	T-0157	8-4018	Nut	1					
OD NS	T-0183	9-1901	Adaptor	1					
NS	T-0159	8-5005	Positioning Tube	1					

OD ON DEMAND – WE DO NOT KEEP THESE PARTS IN STOCK, COST IS SET ACCORDING TO THE ORDERED QUANTITY, DELIVERY TIME MAY DIFFER FROM STANDARD PRODUCTS.

NS NOT SHOWN IN THE PICTURE

ANOTHER LEADS WITH QUICK DISCONNECT OR OTHER LENGTH AVAILABLE ON REQUEST

Last update of this page: 07/04/2026. See Revision history for details.

THERMACUT®
THE CUTTING COMPANY®

WWW.THERMACUT.COM
TEL.: +420 556 423 440
SALES@THERMACUT.CZ

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFLEAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT® IS NO WAY AFFILIATED WITH Thermal Dynamics®. MOST THERMACUT® PARTS ARE MADE FOR OR BY AN ABICOR GROUP. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT®. THERMACUT® RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT® PARTS. VALID FROM APRIL 2026 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2026 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.

THERMACUT® REPLACEMENT PARTS SUITABLE FOR Thermal Dynamics® PWH/M 4A WELDING TORCH



Last update of this page: 25/09/2025. See Revision history for details.

THERMACUT®
THE CUTTING COMPANY®

WWW.THERMACUT.COM
TEL.: +420 556 423 440
SALES@THERMACUT.CZ

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFLEAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT® IS NO WAY AFFILIATED WITH Thermal Dynamics®. MOST THERMACUT® PARTS ARE MADE FOR OR BY AN ABICOR GROUP. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT®. THERMACUT® RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT® PARTS. VALID FROM APRIL 2026 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2026 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.

THERMACUT® REPLACEMENT PARTS SUITABLE FOR

Thermal Dynamics®

PWH/M 4A WELDING TORCH

Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-1448	8-4062	Shield Cup	1	NS	KT-1484	2-2120	PWH 4A Hand Torch 70° with Leads 12.5' (3.8m), centr. conn.	1
OD	T-12352	8-4064 OEM	Shield Cup with Lens	5	NS	KT-1357	2-2125	PWH 4A Hand Torch 70° with Leads 25' (7.6m), centr. conn.	1
2.	T-1451	9-1847	Tip .062 100A, Standard	10	NS	KT-1377	2-2829	PWH 4A Hand Torch 180° offset with Leads 25' (7.6m)	1
	T-1453	9-1849	Tip .125 250A, Standard	10	NS	T-13534	9-3086	PWH/M 4A Hose, Shield, 4A/6A, 12.5' (3.8m)	1
3.	T-1020	9-1890	Tip .062 100A, Extended	10	NS	KT-1207	9-3088	PWH/M 4A Hose, Shield, 4A/6A, 25' (7.6m)	1
	T-2145	9-1891	Tip .093 125A, Extended	10	NS	KT-1206	8-1505	PWH/M 4A Hose, Plas., 25' (7.6m)	1
	T-2355	9-1892	Tip .125 250A, Extended	5	NS	KT-1186	9-2079	PWH/M 4A Lead, neg. W.C., 12.5' (3.8m)	1
4.	T-1454	9-1827	Electrode .187, Standard	5	NS	KT-1200	9-2081	PWH/M 4A Lead, pos. W.C., 12.5' (3.8m)	1
	T-2134	9-1834	Electrode .187, Extended	5	NS	KT-1201	8-1398	PWH/M 4A Lead, neg. W.C., 25' (7.6m)	1
5.	T-2105	8-4011	Liner (without Gas Distributor)	1	NS	KT-1202	8-1399	PWH/M 4A Lead, pos. W.C., 25' (7.6m)	1
6.	T-1455**	8-4012-UR	Liner (Gas Distributor included)	1	NS	T-13430	2-2821	PWH 4A Hand Torch 70° with Leads 12.5' (3.8m)	1
7.	T-1458	8-4024	Collar	1	NS	T-13429	2-2820	PWH 4A Hand Torch 70° with Leads 25' (7.6m)	1
8.	T-11543	8-4040 OEM	Shield Gas Diffuser, Threaded	1	NS	T-13424	2-2819	PWH 4A Hand Torch 90° with Leads 12.5' (3.8m)	1
9.	T-0197	8-4069	Gasket - Shield Cup	5	NS	T-13423	2-2818	PWH 4A Hand Torch 90° with Leads 25' (7.6m)	1
10.	T-1460	8-4014	Torch Head Assembly 70°	1	NS	T-13431	2-2828	PWH 4A Hand Torch 180° offset with Leads 12.5' (3.8m)	1
	T-1303	8-4016	Torch Head Assembly 180° offset	1	NS	T-13426	2-2482	PWM 4A Machine Torch 180° offset with Leads 12.5' (3.8m)	1
	T-0075	8-4015	Torch Head Assembly 90°	1	NS	T-13416	2-2850	PWH 4A1 Hand Torch 180° with Leads 12.5' (3.8m)	1
	T-1461	8-4054	Torch Head Assembly 180° inline	1	NS	T-13417	2-2851	PWH 4A1 Hand Torch 180° with Leads 25' (7.6m)	1
11.	T-1463	9-1876	Collet	1	NS	T-13421	2-2803	PWM 4A1 Machine Torch 180° inline with Leads 12.5' (3.8m)	1
12.	T-2144	9-1877	Electrode Cap, Extended	1	NS	T-13422	2-2804	PWM 4A1 Machine Torch 180° inline with Leads 25' (7.6m)	1
NS	T-2146	9-2204	Gas Distributor	1	NS	T-13527	2-2124	PWM 4A1 Machine Torch 180° inline with Leads 12.5' (3.8m), centr. conn.	1
OD NS	T-1457	8-0528	O-Ring	10	NS	KT-1199	4-2525	PWH/M 4A, PWM 300 Cable Leads 12.5' (3.8m) Hand/Mach.	1
NS	T-0157	8-4018	Nut	1	NS	KT-1204	4-2544	PWH/M 4A, PWM 300 Cable Leads 25' (7.6m) Hand/Mach.	1
OD NS	T-0183	9-1901	Adaptor	1	NS	T-13436	T-12799	PWH/M 4A, PWM 300 Cable Leads 50' (15.2m) Hand/Mach.	1
NS	T-0159	8-5005	Positioning Tube	1					
NS	T-0161	8-4204	End Cap	1					

OD ON DEMAND – WE DO NOT KEEP THESE PARTS IN STOCK, COST IS SET ACCORDING TO THE ORDERED QUANTITY, DELIVERY TIME MAY DIFFER FROM STANDARD PRODUCTS.

****** A UNIQUE DESIGN WHICH ENHANCES PERFORMANCE AND DIFFERS FROM OEM DESIGNS

NS NOT SHOWN IN THE PICTURE


Last update of this page: 25/09/2025. See Revision history for details.

THERMACUT®
THE CUTTING COMPANY®

WWW.THERMACUT.COM
TEL.: +420 556 423 440
SALES@THERMACUT.CZ

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT® IS NO WAY AFFILIATED WITH Thermal Dynamics®. MOST THERMACUT® PARTS ARE MADE FOR OR BY AN ABICOR GROUP. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT®. THERMACUT® RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT® PARTS. VALID FROM APRIL 2026 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2026 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.

THERMACUT® REPLACEMENT PARTS SUITABLE FOR Thermal Dynamics® PWM 300 WELDING TORCH



Item	Part No.	Ref. No.	Description	Std. Pkg.	Item	Part No.	Ref. No.	Description	Std. Pkg.
1.	T-2360	8-4373	End Cap	1	OD 15.	T-0183	9-1901	Adapter	1
2.	T-2361	8-4370	Tip .093 200A	5	16.	T-0159	8-5005	Mounting Tube	1
	T-2362	8-4371	Tip .113 250A	5	17.	T-0161	8-4204	Bushing	1
	T-2363	8-4372	Tip .125 300A	5	NS	KT-1199	4-2525	Torch Leads 12.5ft	1
OD 3.	T-2152	9-2863	O-Ring	10	OD NS	KT-1204	4-2544	Torch Leads 25ft	1
4.	T-1454	9-1827	Electrode	5	NS	KT-1055	2-2845	PWM 300 with 12.5' Leads (3.8m)	1
5.	T-1029	9-2956	O-Ring	10	NS	KT-1251	2-2846	PWM 300 with 25' Leads (7.6m)	1
6.	T-2364	8-6509	Liner (includes 50-720S 2x)	1	NS	T-13534	9-3086	PWH/M 4A Hose, Shield, 4A/6A, 12.5' (3.8m)	1
7.	T-2365	8-6651	Insulating Sleeve	10	NS	KT-1207(T-1445)	9-3088	PWH/M 4A Hose, Shield, 4A/6A, 25' (7.6m)	1
8.	T-2366	8-6652	Shield Cup Diffuser	1	NS	KT-1206(T-1443)	8-1505	PWH/M 4A Hose, Plas., 25' (7.6m)	1
9.	T-0230	8-6512	Gasket	5	NS	KT-1186(T-1438)	9-2079	PWH/M 4A Lead, neg. 12.5' (3.8m)	1
10.	T-2369	8-6649	Torch Body	1	NS	KT-1200(T-1440)	9-2081	PWH/M 4A Lead, pos. 12.5' (3.8m)	1
OD 11.	T-2082	8-0534	O-Ring	10	NS	KT-1201(T-1439)	8-1398	PWH/M 4A Lead, neg. 25' (7.6m)	1
12.	T-2367	8-6650	Collet	1	NS	KT-1202(T-1441)	8-1399	PWH/M 4A Lead, pos. 25' (7.6m)	1
13.	T-2368	8-6654	Electrode Cap	1					
14.	T-0157	8-4018	Nut	1					

OD ON DEMAND – WE DO NOT KEEP THESE PARTS IN STOCK, COST IS SET ACCORDING TO THE ORDERED QUANTITY, DELIVERY TIME MAY DIFFER FROM STANDARD PRODUCTS.

NS NOT SHOWN IN THE PICTURE

Last update of this page: 25/09/2025. See Revision history for details.

THERMACUT®
THE CUTTING COMPANY®

WWW.THERMACUT.COM
TEL.: +420 556 423 440
SALES@THERMACUT.CZ

THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFLEAME® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS. THERMACUT® IS NO WAY AFFILIATED WITH Thermal Dynamics®. MOST THERMACUT® PARTS ARE MADE FOR OR BY AN ABICOR GROUP. PARTS INDICATED WITH A OEM ARE ORIGINAL PARTS MANUFACTURED BY THE ABOVE NAMED MANUFACTURER AND ARE BEING RESOLD BY THERMACUT®. THERMACUT® RESERVES THE RIGHT TO SUBSTITUTE OEM PARTS IN PLACE OF THERMACUT® PARTS. VALID FROM APRIL 2026 • PREVIOUS VERSION IS NO LONGER VALID. • © COPYRIGHT 2026 BY THERMACUT® CZECH REPUBLIC. ALL RIGHTS RESERVED.